Hydrometallurgy, 24 (1990) 417–418
Elsevier Science Publishers B.V., Amsterdam — Printed in The Netherlands

Contents Vol. 24

Vol. 24, No. 1

Research papers

The effect of raw and sulfonated kerosene-type diluent on the solvent extraction of uranium and co-extractable impurities from solutions. Part 1. Uranyl nitrate solution
A. Boualia, A. Mellah and A. Silem (Algiers, Algeria) 1

The effect of raw and sulfonated kerosene-type diluent on the solvent extraction of uranium and co-extractable impurities from solutions. Part 2. Industrial phosphoric acid
A. Silem, A. Boualia and A. Mellah (Algiers, Algeria) 11

Kinetics and mechanism of metal extraction with acidic organophosphorus extractants (I): Extraction rate limited by diffusion process
Y. Miyake, H. Matsuyama, M. Nishida, M. Nakai, N. Nagase and M. Teramoto (Kyoto, Japan) 19

Kinetics and mechanism of metal extraction with acidic organophosphorus extractants (II): Extraction mechanism of Fe(III) with di(2-ethylhexyl)phosphoric acid
H. Matsuyama, Y. Miyake, Y. Izumo and M. Teramoto (Kyoto, Japan) 37

Effect of some amino acid chelating agents on the passivation of copper anodes in copper sulfate/sulfuric acid electrolyte
S. Jin, H. Djellab and E. Ghali (Ste. Foy, Québec, Canada) 53

Selective cyclic bioleaching of a copper–zinc sulphide concentrate
F. Carranza, M.J. Garcia, I. Palencia and J. Pereda (Sevilla, Spain) 67

Ion exchange behaviour of some amine intercalates of α-tin(IV) hydrogen phosphate monohydrate
M.J. Hudson (Reading, U.K.), E. Rodriguez-Castellon (Malaga, Spain), P. Sylvester (Reading, U.K.), A. Jimenez-Lopez (Malaga, Spain) and P. Olivera-Pasto (Malaga, Spain) 77

Simultaneous purification of nickel sulphate solutions from di-valent iron, copper and zinc ions
E.N. Petkova, V.M. Shkodrova and J.T. Pirov (Sofia, Bulgaria) 89

Synergic extraction study of niobium with 8-quinolinol, its 5-nitro analogue and heterocyclic nitrogen compounds
A.T. Rane and D.R. Nepali (Bombay, India) 101

Extraction of the perrhenate anion using goethite surface-modified with hydrophobic quaternary amines
M.J. Hudson and D.J. Tyler (Reading, U.K.) 111

Leaching of ilmenite in HCl–H_2O, HCl–CH_3OH–H_2O and HCl–CH_3OH solutions
I. Girgin (Ankara, Turkey) 127

Vol. 24, No. 2

Research papers

Studies on the solvent extraction of gold from cyanide media
P.A. Riveros (Ottawa, Ont., Canada) 135

Study of the $KAu(CN)_2$–amine Amberlite LA-2 extraction equilibrium system
F.J. Alguacil, A. Hernandez and A. Luis (Madrid, Spain) 157

0304-386X/90/$03.50 © 1990 Elsevier Science Publishers B.V.

Impurity removal and cobalt–nickel separation from sulphate solution by solvent extraction with B312
Zheng Longao (Changsha, China) 167
Production of thin copper foils on microporous titanium oxide substrates
J.-L. Delplancke (Bruxelles, Belgium), M. Sun, T.J. O'Keefe (Rolla, Mo., U.S.A.) and R. Winand (Bruxelles, Belgium) 179
Electrowinning of nickel in the processing of polymetallic sea nodules
V. Kumar, B.D. Pandey and D.D. Akerkar (Jamshedpur, India) 189
Influence of electrolysis variables on the passivation time of copper anodes in copper electrorefining
J. Sędzimir and W. Gumowska (Kraków, Poland) 203
Catalytic effects of silver in the microbiological leaching of finely ground chalcopyrite-containing ore materials in shake flasks
L. Ahonen (Helsinki, Finland) and O.H. Tuovinen (Columbus, Ohio, U.S.A.) 219
Adsorption–desorption studies on the ^{226}Ra-hydrated metal oxide systems
I. Nirdosh, W.B. Trembley and C.R. Johnson (Thunder Bay, Ont., Canada) 237
The precipitation of cadmium from aqueous solution using 1,3,4-thiadiazole-2,5-dithiol
M.J. Hudson, M.B. Hassan (Reading, U.K.) and G. Tiravanti (Bari, Italy) 249

Technical Notes
The mechanism of vanadium (IV) extraction in a chemical kinetic controlled regime
K.O. Ipinmoroti (Akure, Nigeria) and M.A. Hughes (Bradford, U.K.) 255
Bioleaching of tungsten ores
R.A. Guedes de Carvalho, M. Celeste Cruz, M. Ceu Gonçalves, M. Manuela Moura and O. Neves (Porto, Portugal) 263

Announcements 269

Vol. 24, No. 3

Research papers
Nickel extraction from acidic chloride solutions with aliphatic oximes
R.D. Groves and L.D. Redden (Salt Lake City, Utah, U.S.A.) 271
A cupric bromide process for hydrometallurgical recovery of copper
G.W. McDonald, H. Darus and S.H. Langer (Madison, Wisc., U.S.A.) 291
Modelling of solvent extraction equilibria of Cu(II) from nitric and hydrochloric acid solutions with β-hydroxyoxime
M. Tanaka (Tsukuba, Japan) 317
Relative extraction rates of rare earth ions from weakly acidic solution of binary mixture of rare earth chlorides by di-(2-ethyl-hexyl) phosphoric acid/kerosine
Y. Minagawa and K. Yamaguchi (Yokohama, Japan) 333
Microscopic examination of copper electrorefining slimes
E.N. Petkova (Sofia, Bulgaria) 351
Geochemical hosts of solubilized radionuclides in uranium mill tailings
E.R. Landa (Reston, Va., U.S.A.) and C.A. Bush (Denver, Colo., U.S.A.) 361
Characterization and electrochemical analysis of gold cementation from alkaline cyanide solution by suspended zinc particles
J.D. Miller, R.Y. Wan and J.R. Parga (Salt Lake City, Utah, U.S.A.) 373
Dissolution of sphalerite in aqueous hydrochloric acid solutions under reducing conditions
B. Kołodziej and Z. Adamski (Wrocław, Poland) 393
An approach to reduce magnesium from zinc electrolyte with recovery of zinc from disposed residue of an effluent treatment plant
K.D. Sharma (Udaipur, India) 407